

Residential • Industrial • Commercial







FAMILY OWNED FOR 30 YEARS • ALL WORK WARRANTIED

Angies list.





















TEL: (630) 860-5188 www.cardinalfenceinc.com office@cardinalfenceinc.com

CAPE COD

Specifications:

6 inch Bottom Rail | 3¹/2 inch Top Rails | 1x3 inch Pickets

Picket Spacing: 2 or 3 inches

Aluminum Reinforced Bottom Rail - Khaki & Chestnut Brown

Available in White, Sandstone, Khaki or Chestnut Brown











REVERE

Specifications:

6 inch Bottom Rail | 3¹/2 inch Top Rail | 1x3 inch Pickets

Picket Spacing: 2 or 3 inches

Available in White, Sandstone or Khaki

Available Heights: 3, 4 or 5 feet





⇒Straight Top



WINTHROP

Specifications:

6 inch Bottom Rail | 3¹/2 inch Top Rail | 1x3 inch Pickets Picket Spacing: 2 or 3 inches

Available in White, Sandstone, Khaki or Chestnut Brown Available Heights: 3 or 4 feet









NANTUCKET

Specifications:

6 inch Vertical Boards

6 inch Bottom Rail

3¹/2 inch Top Rail

4 feet Tall With Top and Bottom Rail 5 and 6 feet Tall With Mid Rail

Picket Spacing: 1 inch

Available in White, Sandstone or Khaki

Available Heights: 4, 5 or 6 feet





SHADOWBOX

Specifications:

3¹/2 inch Rails

6 inch Vertical Boards

Aluminum Reinforced Bottom Rail

4 feet Tall With Top and Bottom Rail Only 5 and 6 feet Tall With Mid Rail

Available in White Only





MALIBU

Specifications:


6 inch Bottom Rail | 3¹/2 inch Top Rails | 1x3 inch Pickets

Picket Spacing: 1 inch

Aluminum Reinforced Bottom Rail - Khaki & Chestnut Brown

Available in White, Sandstone, Khaki or Chestnut Brown

Available Height: 5 or 6 feet Only











SEABROOK


Specifications:

7 inch Inter-locking Rail | 7/8 inch Vertical Boards

Available in White or Sandstone









SEABROOK - Khaki & Woodland Colors

Specifications:

7 inch Inter-locking Rail | 7/8 inch Vertical Boards Aluminum Reinforced Bottom Rail

Available in Khaki, Chestnut Brown, Natural Cedar, Weathered Cedar or Aged Cedar

Available Heights: 4, 5 or 6 feet





→Chestnut Brown





→Aged Cedar

Natural Cedar ⇒

FAIRHAVEN

Specifications:

7 inch Bottom and Mid Rails | 3¹/2 inch Top Rail 1x3 inch or 1-3/8 inch Square Spindles (White Only) Aluminum Reinforced Bottom Rail - Khaki & Woodland Colors

Available in White, Sandstone, Khaki, Chestnut Brown, Natural Cedar, Weathered Cedar or Aged Cedar


Available Heights: 4, 5 or 6 feet





→Two Tone







PROVIDENCE

Specifications:

7 inch Bottom and Mid Rails | 3¹/2 inch Top Rail 1x3 inch Top Picket Aluminum Reinforced Bottom Rail - Khaki

Available in White, Sandstone or Khaki







AUGUSTA

Specifications:

7 inch Bottom and Mid Rails | 3¹/2 inch Top Rail 1 inch Lattice | 3 inch Lattice Available in White Only Aluminum Reinforced Bottom Rail - Khaki

Available in White, Sandstone or Khaki











CONCORD

Specifications:

7 inch Bottom Rail | 6 inch Mid Rail | 3¹/2 inch Top Rail

6 inch Vertical Boards | 1 inch Lattice (3 inch Lattice Available in White Only)

Picket Spacing: 2 inches

Aluminum Reinforced Bottom Rail - Khaki

Available in White, Sandstone or Khaki









GATES



- Gate Hinges Are Always On The Side The Gate Swings To
 (Hinges on the outside if the gate swings out and on the inside if the gate swings in)
- A 1" 1 1/2" Gap Between The Gate and Gate Posts is Standard (Per Manufacturer)
- Latches Are Padlockable From Inside or Outside.
- Keyed Locks Are Available at an Extra Cost
- Gates are Warrantied for 1 Year



Drop Rods Are Installed On The Inside Face of Double Gates







CAPS











LATCHES & HINGES



Powder Coated Stainless Steel Hardware

Hinges are self closing and horizontally adjustable.

Available Colors - Black or White.





Latches are pad lockable from either outside or inside and self latching.

Available Colors - Black or White.



ARBORS Avialable in White and Sandstone Only















Cardinal Fence & Supply, Inc.

1025 Industrial Drive Bensenville, Illinois 60106 TEL: (630) 860-5188

www.cardinalfenceinc.com office@cardinalfenceinc.com



Angies list.

















